

Datasheet for ABIN954554
anti-RINL antibody (N-Term)

2 Images



[Go to Product page](#)

Overview

Quantity:	0.4 mL
Target:	RINL
Binding Specificity:	AA 21-51, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RINL antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 21-51 amino acids from the N-terminal region of Human RINL. Genename: RINL
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human RINL (N-term).
Purification:	Affinity Chromatography on Protein A

Target Details

Target:	RINL
Alternative Name:	RINL (RINL Products)
Background:	Synonyms: Ras and Rab interactor-like protein

Target Details

Molecular Weight:	50053 Da
Gene ID:	126432
NCBI Accession:	NP_940847


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS, 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.


Images



Western Blotting

Image 1. Western blot analysis of RINL Antibody (N-term) in HL-60 cell line lysates (35ug/lane). This demonstrates the RINL antibody detected the RINL protein (arrow).

HL-60



Flow Cytometry

Image 2. Flow cytometric analysis of HL-60 cells using RINL Antibody (N-term) Cat.-No AP53670PU-N (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.