

Datasheet for ABIN954770
anti-SFT2D2 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	0.4 mL
Target:	SFT2D2
Binding Specificity:	AA 1-30, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SFT2D2 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of Human SFT2D2 Genename: SFT2D2
Isotype:	Ig Fraction
Specificity:	Recognizes SFT2D2 (N-term).
Purification:	Protein A column followed by peptide Affinity purification

Target Details

Target:	SFT2D2
Abstract:	SFT2D2 Products
Background:	PA2 catalyzes the calcium-dependent hydrolysis of the 2-acyl groups in 3-sn-

Target Details


	phosphoglycerides. L-alpha-1-palmitoyl-2-linoleoyl phosphatidylethanolamine is more efficiently hydrolyzed than the other phospholipids examined.Synonyms: SFT2 domain-containing protein 2, Vesicle transport protein SFT2B
Gene ID:	375035
NCBI Accession:	NP_955376

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) Sodium Azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



Western Blotting

Image 1. Western blot analysis using SFT2D2 Antibody (N-term) Cat.-No AP53883PU-N in U251 cell line lysates (35ug/lane). This demonstrates the SFT2D2 antibody detected the SFT2D2 protein (arrow).