.-online.com antibodies

# Datasheet for ABIN955166 anti-TEX13B antibody (C-Term)

3 Images



#### Overview

Quantity:	0.4 mL
Target:	TEX13B
Binding Specificity:	AA 279-309, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

## **Product Details**


Target Details	
Purification:	Protein A column followed by peptide affinity purification
Cross-Reactivity (Details):	Species reactivity (tested):Human
Specificity:	This antibody detects TEX13B (C-term).
Isotype:	Ig Fraction
Immunogen:	KLH conjugated synthetic peptide between 279-309 amino acids from the C-terminal region of human TEX13B

Target:	TEX13B
Alternative Name:	TEX13B (TEX13B Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN955166 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	This gene is similar to a mouse gene that is expressed in the testis.Synonyms: Testis- expressed sequence 13B protein
Gene ID:	56156
NCBI Accession:	NP_112563
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2 - 8 °C for up to six months or (in aliquots) at -20 °C for longer.


## Images




#### Flow Cytometry

**Image 1.** TEX13B Antibody (C-term) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goatanti-rabbit secondary antibodies were used for the analysis.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN955166 | 09/12/2023 | Copyright antibodies-online. All rights reserved.





#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** TEX13B antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human testis carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the TEX13B antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

## Western Blotting

**Image 3.** TEX13B Antibody (C-term) western blot analysis in K562 cell line lysates (35  $\mu$ g/lane). This demonstrates the TEX13B antibody detected the TEX13B protein (arrow).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN955166 | 09/12/2023 | Copyright antibodies-online. All rights reserved.