antibodies -online.com





anti-TRADD antibody (Middle Region)





Go to Product page

_						
0	V	0	r٧	/[Θ	M


Overview	
Quantity:	0.4 mL
Target:	TRADD
Binding Specificity:	AA 133-159, Middle Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRADD antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	KLH conjugated synthetic peptide between 133-159 amino acids from the Central region of human TRADD
Isotype:	lg Fraction
Specificity:	This antibody detects TRADD (Center).
Cross-Reactivity (Details):	Species reactivity (tested):Human
Purification:	Protein A column followed by peptide affinity purification
Target Details	
Target:	TRADD

Target Details

Alternative Name:	TRADD (TRADD Products)	
Background:	The protein encoded by this gene is a death domain containing adaptor molecule that interacts with TNFRSF1A/TNFR1 and mediates programmed cell death signaling and NF-kappaB	
	activation. This protein binds adaptor protein TRAF2, reduces the recruitment of inhibitor-of-apoptosis proteins (IAPs) by TRAF2, and thus suppresses TRAF2 mediated apoptosis. This protein can also interact with receptor TNFRSF6/FAS and adaptor protein FADD/MORT1, and is involved in the Fas-induced cell death pathway. [provided by RefSeq]. Synonyms: TNFR1-associated DEATH domain protein, TNFRSF1A-associated via death domain, Tumor necrosis factor receptor type 1-associated DEATH domain protein	
Gene ID:	8717	
NCBI Accession:	NP_003780	
Pathways:	NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, Positive Regulation of Endopeptidase Activity, Hepatitis C	
Application Details		


Application Notes:	Optimal working dilution should be determined by the investigator.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	0.25 mg/mL		
Buffer:	PBS with 0.09 % (W/V) sodium azide		
Preservative:	Sodium azide		
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Handling Advice:	Avoid repeated freezing and thawing.		
Storage:	4 °C/-20 °C		
Storage Comment:	Store at 2 - 8 °C for up to six months or (in aliquots) at -20 °C for longer.		






Flow Cytometry

Image 1. TRADD Antibody (Center) flow cytometric analysis of Hela cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-antirabbit secondary antibodies were used for the analysis.



Immunofluorescence

Image 2. Confocal immunofluorescent analysis of TRADD Antibody (Center) with Hela cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. TRADD Antibody (Center) immunohistochemistry analysis in formalin fixed and paraffin embedded human breast carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of TRADD Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

Please check the product details page for more images. Overall 4 images are available for ABIN955307.