antibodies -online.com





anti-DCAF13 antibody (C-Term)

2 Images



Go to Product page

Overview

Quantity:	0.4 mL
Target:	DCAF13
Binding Specificity:	AA 372-402, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 372-402 amino acids from the C-terminal region of human WDSOF1
Isotype:	lg Fraction
Specificity:	This antibody detects WDSOF1 (C-term).
Cross-Reactivity (Details):	Species reactivity (tested):Human, mouse
Purification:	Protein A column followed by peptide affinity purification

Target Details

Target:	DCAF13
Alternative Name:	WDSOF1 (DCAF13 Products)

Target Details


Background:	Possible role in ribosomal RNA processing (By similarity). May function as a substrate receptor for CUL4-DDB1 E3 ubiquitin-protein ligase complex. Synonyms: DCAF13, DDB1- and CUL4-associated factor 13
Gene ID:	25879
NCBI Accession:	NP_056235

Application Details

Storage Comment:

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C

Store at 2 - 8 °C for up to six months or (in aliquots) at -20 °C for longer.



72 55 36 28

Immunohistochemistry (Paraffin-embedded Sections)

Image 1. WDSOF1 antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the WDSOF1 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. WDSOF1 Antibody (C-term) western blot analysis in mouse Neuro-2a cell line lysates (35 μ g/lane). This demonstrates the WDSOF1 antibody detected the WDSOF1 protein (arrow).