.-online.com antibodies

Datasheet for ABIN955589 anti-WWC3 antibody (C-Term)

2 Images



Overview

Quantity:	0.4 mL
Target:	WWC3
Binding Specificity:	AA 1015-1045, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 1015-1045 amino acids from the C-terminal region of human WWC3
Isotype:	Ig Fraction
Specificity:	This antibody detects WWC3 (C-term).
Cross-Reactivity (Details):	Species reactivity (tested):Human
Purification:	Protein A column followed by peptide affinity purification
Target Details	
Target:	WWC3

Alternative Name:	WWC3 (WWC3 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN955589 | 09/12/2023 | Copyright antibodies-online. All rights reserved.


Target Details

Background:	Synonyms: KIAA1280, Protein
Gene ID:	55841
NCBI Accession:	NP_056506

Application Details


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2 - 8 °C for up to six months or (in aliquots) at -20 °C for longer.

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. WWC3 antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the WWC3 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. WWC3 Antibody (C-term) western blot analysis in U251 cell line lysates (35 μ g/lane). This demonstrates the WWC3 antibody detected the WWC3 protein (arrow).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN955589 | 09/12/2023 | Copyright antibodies-online. All rights reserved.