antibodies -online.com





anti-APOH antibody

2 Images



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	0.25 mg	
Target:	АРОН	
Reactivity:	Human, Rat, Dog, Pig	
Host:	Goat	
Clonality:	Polyclonal	
Conjugate:	This APOH antibody is un-conjugated	
Application:	Immunohistochemistry (IHC), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunodiffusion (ID), Immunoelectrophoresis (IEP)	

Product Details

Brand:	IHC-plus™	
Immunogen:	Purified beta2-Glycoprotein-I (beta2GP-I) from human plasma. This protein is also known as apolipoprotein-H.	
	Type of Immunogen: Purified protein	
Isotype:	IgG	
Specificity:	Recognizes human beta2GP-I as demonstrated by immunoelectrophoresis. A single precipitin arc is observed with normal plasma. No arc was seen with beta2GP-I deficient plasma. Species cross-reactivity: Porcine, rat and canine.	
Purification:	Ammonium sulfate precipitation	

Target Details


Target:	APOH	
Alternative Name:	APOH / Apolipoprotein H (APOH Products)	
Background:	Name/Gene ID: APOH	
	Synonyms: APOH, Apo-H, Anticardiolipin cofactor, Apolipoprotein H, B2GP1, B2GPI, Beta-2-glycoprotein I, APC inhibitor, Beta(2)GPI, BG, B2G1, Beta-2-glycoprotein 1	
Gene ID:	350	
UniProt:	P02749	

Application Details

Application Notes:	Approved: ELISA, ID, IE, IHC, IHC-P (5 μg/mL)	
	Usage: Suitable for use in ELISA, Immunodiffusion, Immunoelectrophoresis.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	


Handling

Format:	Liquid	
Concentration:	Lot specific	
Buffer:	10 mM HEPES, pH 7.4, 0.15M sodium chloride, 50 % glycerol.	
Handling Advice:	Aliquot to Avoid repeated freezing and thawing.	
Storage:	4 °C,-20 °C	
Storage Comment:	May be stored at 4°C for short-term only. Aliquot to avoid freeze-thaw cycles. Store at -20°C. Aliquots are stable for at least 1 year.	



Immunohistochemistry

Image 1. Anti-APOH / Apolipoprotein H antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.



Immunohistochemistry

Image 2. Anti-APOH / Apolipoprotein H antibody IHC staining of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN956832 concentration 5 ug/ml.