



Datasheet for ABIN959634
anti-DYRK2 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	0.05 mg
Target:	DYRK2
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Two isoforms of DYRK2 are known to exist, this antibody will recognize both isoforms. DYRK2 antibody will not cross-react with other DYRK family members.
Purification:	Immunoaffinity purified

Target Details

Target:	DYRK2
Alternative Name:	DYRK2 (DYRK2 Products)
Background:	Name/Gene ID: DYRK2 Subfamily: MNB/DYRK

Target Details

Family: Protein Kinase

Synonyms: DYRK2

Gene ID: 8445

UniProt: [Q92630](#)

Pathways: [Regulation of Carbohydrate Metabolic Process](#)

Application Details

Application Notes: Approved: IHC, IHC-P (5 µg/mL), WB (1 - 2 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: PBS, 0.02 % sodium azide

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: avoid freeze thaw cycles. Store undiluted.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.

Expiry Date: 12 months



Immunohistochemistry

Image 1. Anti-DYRK2 antibody IHC staining of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN959634 concentration 5 ug/ml.