



[Go to Product page](#)

Datasheet for ABIN959670

anti-OGFOD1 antibody (C-Term)

3 Images

Overview

Quantity:	0.05 mg
Target:	OGFOD1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OGFOD1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (IHC)

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	OGFOD1 antibody is predicted to not cross-react with other TPA1 protein family members. At least two isoforms are known to exist, this antibody will only detect the larger isoform.
Purification:	Immunoaffinity purified

Target Details

Target:	OGFOD1
Alternative Name:	OGFOD1 (OGFOD1 Products)

Target Details

Background: Name/Gene ID: OGFOD1
Synonyms: OGFOD1, KIAA1612, TPA1

Gene ID: 55239

UniProt: [Q8N543](#)

Application Details

Application Notes: Approved: IHC, IHC-P (5 µg/mL), WB (1 - 2 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: PBS, 0.02 % sodium azide

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: avoid freeze thaw cycles. Store undiluted.

Storage: 4 °C, -20 °C


Storage Comment: Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.

Expiry Date: 12 months




Immunohistochemistry

Image 1. Anti-OGFOD1 antibody IHC staining of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN959670 concentration 5 ug/ml.



Immunohistochemistry

Image 2. Anti-OGFOD1 antibody IHC staining of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN959670 concentration 5 ug/ml.



Immunohistochemistry

Image 3. Anti-OGFOD1 antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.