antibodies - online.com







anti-HMGB3 antibody (AA 150-200)

Images



Overview

Quantity:	50 μg
Target:	HMGB3
Binding Specificity:	AA 150-200
Reactivity:	Human, Mouse, Cow, Dog, Horse, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HMGB3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	A portion of amino acids 150-200 of human HMGB3.
	Type of Immunogen: Protein fragment
Specificity:	Human HMGB3.
Purification:	Immunoaffinity purified

Target Details

Target:	HMGB3
Alternative Name:	HMGB3 (HMGB3 Products)

Target Details


Background:	Name/Gene ID: HMGB3
	Synonyms: HMGB3, High mobility group protein 2a, High mobility group protein B3, HMG-2a, High mobility group box 3, High mobility group protein 4, High-mobility group box 3, HMG-4,
	HMG2A, HMG4
Gene ID:	3149
UniProt:	015347

Application Details

Application Notes:	Approved: IHC, IHC-P (10 μg/mL), WB (0.5 - 1 μg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.05 % BSA, 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.



Immunohistochemistry

Image 1. Anti-HMGB3 antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.



Immunohistochemistry

Image 2. Anti-HMGB3 antibody IHC staining of human placenta. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody ABIN960206 concentration 10 ug/ml.