antibodies -online.com





anti-THEM6 antibody (Internal Region)

3 Images



Go to Product page

_					
U	V	er	VI	е	W

Specificity:

Purification:

Predicted Reactivity:

Quantity:	50 μg
Target:	THEM6
Binding Specificity:	Internal Region
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This THEM6 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (IHC)
Product Details	
Brand:	IHC-plus™
Immunogen:	Synthetic 18 amino acid peptide from internal region of human C8orf55. Percent identity with
	other species by BLAST analysis: Human, Gorilla, Gibbon, Marmoset (100%), Hamster,
	Opossum, Zebrafish (89%), Panda, Mosquito, Ant (83%).
	Type of Immunogen: Synthetic peptide

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 1/3 | Product datasheet for ABIN960747 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

(100%) Hamster, Opossum, Zebrafish (89%) Panda, Mosquito, Ant (83%).

human proteins.

Immunoaffinity purified

Human C8orf55. BLAST analysis of the peptide immunogen showed no homology with other

Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Marmoset

Target Details


Target:	THEM6
Alternative Name:	THEM6 / C8orf55 (THEM6 Products)
Background:	Name/Gene ID: THEM6
	Synonyms: THEM6, DSCD75, UPF0670 protein C8orf55, UPF0670 protein THEM6, C8orf55
Gene ID:	51337

Application Details

Application Notes:	Approved: IHC, IHC-P (5 - 10 μg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, less than 0.1 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Aliquot and store undiluted at -20°C or below for up to 1 year. Can be stored undiluted at 4°C for up to 1 month. Avoid freeze-thaw cycles.
Expiry Date:	12 months




Immunohistochemistry

Image 1. Anti-C8orf55 antibody ABIN960747 IHC staining of human adrenal. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.



Immunohistochemistry

Image 2. Anti-C8orf55 antibody ABIN960747 IHC staining of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.



Immunohistochemistry

Image 3. Anti-C8orf55 antibody IHC of human adrenal. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.