# antibodies .- online.com





## anti-SRPX2 antibody (Internal Region)



Overview

**Images** 



Go to	Draa	110+	0000
(¬() (()	PIOO	11 1( 21	1120

Quantity:	50 µg
Target:	SRPX2
Binding Specificity:	Internal Region
Reactivity:	Human, Mouse, Monkey, Bat, Rabbit, Cow, Dog, Guinea Pig, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal

Conjugate:	This SRPX2 antibody is un-conjugated

Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))


### Product Details

Application:

Brand:	IHC-plus™
Immunogen:	Synthetic 16 amino acid peptide from internal region of human SRPX2. Percent identity with other species by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Elephant, Dog, Bat, Bovine, Horse, Rabbit, Pig, Opossum, Guinea pig (100%), Rat, Panda, Platypus (94%), Xenopus (81%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human SRPX2. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Predicted Reactivity:	Percent identity with other species by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Elephant, Dog, Bat, Bovine, Horse, Rabbit, Pig,


#### **Product Details**

	Opossum, Guinea pig (100%) Rat, Panda, Platypus (94%) Xenopus (81%).
Purification:	Immunoaffinity purified
Target Details	
Target:	SRPX2
Alternative Name:	SRPX2 (SRPX2 Products)
Background:	Name/Gene ID: SRPX2
	Synonyms: SRPX2, BPP, CBPS, PMGX, RESDX, SRPUL
Gene ID:	27286
Application Details	
Application Notes:	Approved: IHC, IHC-P (10 - 15 μg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, less than 0.1 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Aliquot and store undiluted at -20°C or below for up to 1 year. Can be stored undiluted at 4°C for up to 1 month. Avoid freeze-thaw cycles.
Expiry Date:	12 months




#### **Immunohistochemistry**

**Image 1.** Anti-SRPX2 antibody ABIN960819 IHC staining of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.



#### **Immunohistochemistry**

**Image 2.** Anti-SRPX2 antibody ABIN960819 IHC staining of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.



#### **Immunohistochemistry**

**Image 3.** Anti-SRPX2 antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.