ANTIBODIES ONLINE

Datasheet for ABIN964772 anti-IL-9 antibody (HRP)

Image



Overview

1

Quantity:	100 µg	
Target:	IL-9 (IL9)	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IL-9 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)	
Product Details		
Purpose:	IL-9 Antibody Peroxidase Conjugated	
Immunogen:	Immunogen: This purified antibody was prepared from whole rabbit serum produced by repeated immunizations with full length recombinant human IL-9 protein. Immunogen Type: Recombinant Protein	
lsotype:	lgG	
Characteristics:	Synonyms: rabbit anti-IL-9 peroxidase conjugated antibody, rabbit anti-interleukin-9 HRP conjugated antibody, Interleukin 9, IL 9, IL9, T cell growth factor 3, T cell growth factor p40, TCGF 3, Mast cell growth factor, MCGF, Megakaryoblast growth factor, p40 cytokine	
Purification:	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. This purified antibody has been heated to 56 °C for 30 minutes.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN964772 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Target Details

Target:	IL-9 (IL9)	
Alternative Name:	IL9 (IL9 Products)	
Background:	Background: IL-9 is a cytokine that acts as a regulator of a variety of hematopoietic cells. This cytokine stimulates cell proliferation and prevents apoptosis. It functions through the interleukin 9 receptor (IL9R), which activates different signal transducer and activator (STAT) proteins and thus connects this cytokine to various biological processes. The gene encoding this cytokine has been identified as a candidate gene for asthma. Genetic studies on a mouse model of asthma demonstrated that this cytokine is a determining factor in the pathogenesis of bronchial hyperresponsiveness.	
Gene ID:	3578	
NCBI Accession:	NP_000581	
UniProt:	P15248	
Pathways:	JAK-STAT Signaling	
Application Details		
Application Notes:	Immunohistochemistry Dilution: 1:500-1:2,500 Application Note: This purified antibody has been tested in western blotting and suitable for ELISA. By western blot a band approximately 15 kDa in size corresponding to human IL-9	

ELISA. By western blot a band approximately 15 kba in size corresponding to human it-9
protein is expected in the appropriate cell lysate or extract. Specific conditions for reactivity
should be optimized by the end user.
Western Blot Dilution: 1:1000-1:5,000
ELISA Dilution: 1:10,000 - 1:50,000
Other: User Optimized

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 100 µL Reconstitution Buffer: Restore with deionized water (or equivalent)
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Preservative: 0.01 % (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN964772 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

lond	lina
land	
10110	

Preservative:	Gentamicin sulfate
Precaution of Use:	This product contains Gentamicin sulfate: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiry Date:	12 months

Images



Western Blotting

Image 1. Western Blot of Rabbit anti-IL-9 Antibody Peroxidase Conjugated Lane 1: Human IL-9 Load: 50 ng per lane Secondary antibody: IL-9 Antibody Peroxidase Conjugated at 1:1,000 for 30 min at RT Block: ABIN925618 for 30 min RT Predicted/Observed size: 14 kDa, 14 kDa