

Datasheet for ABIN965317

Rabbit anti-Goat IgG (Heavy & Light Chain) Antibody (Texas Red (TR)) - Preadsorbed

500 μL



Go to Product page

()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Quantity:

Quartity.	σου με
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Goat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Texas Red (TR)
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)
Product Details	
Immunogen:	Immunogen: Goat IgG whole molecule
Immunogen: Isotype:	Immunogen: Goat IgG whole molecule IgG
Isotype:	IgG
Isotype: Fragment:	IgG Fab fragment
Isotype: Fragment: Specificity:	IgG Fab fragment Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex
Isotype: Fragment: Specificity: Characteristics:	IgG Fab fragment Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Target Details

Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody
Background:	Synonyms: Rabbit Fab Anti-Goat IgG Texas Red™ Conjugated Antibody, Rabbit Fab Fragment
	Anti-Goat IgG Antibody Texas Red™ Conjugation
	Background: Fab Anti-Goat IgG Texas Red Antibody generated in rabbit detects goat IgG. This
	product possesses the F(ab) region possessing the epitope-recognition site, both heavy and
	light chains of the antibody molecule are present. Secondary Antibodies are available in a
	variety of formats and conjugate types. When choosing a secondary antibody product,
	consideration must be given to species and immunoglobulin specificity, conjugate type,
	fragment and chain specificity, level of cross-reactivity, and host-species source and fragment
	composition.

Application Details

Application Notes:	Application Note: Suitable for immunomicroscopy and flow cytometry or FACS analysis as well	
	as other antibody based fluorescent assays requiring extremely low background levels,	
	absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.	
	FLISA Dilution: 1:10,000 - 1:50,000	
	Flow Cytometry Dilution: 1:500 - 1:2,500	
	IF Microscopy Dilution: 1:1,000 - 1:5,000	
Comment:	Texas Red™ is a registered trademark of Molecular Probes Inc.	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Reconstitution:	Reconstitution Volume: 500 μ L Reconstitution Buffer: Restore with deionized water (or equivalent)	
Concentration:	0.5 mg/mL	
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Preservative: 0.01 % (w/v) Sodium Azide	
Preservative:	Sodium azide	

Handling

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid cycles of freezing and thawing. This vial contains a relatively low volume of reagent (25 μ L). To minimize loss of volume dilute 1:10 by adding 225 μ L of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Product is photosensitive and should be protected from light.
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store the vial at -20 °C or below after dilution.
Expiry Date:	12 months