antibodies -online.com





Rabbit anti-Mouse IgG (Heavy & Light Chain) Antibody - Preadsorbed



Go to Product pag

2 Publications

Overview	
Quantity:	500 μg
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB)
Product Details	
Immunogen:	Immunogen: Mouse IgG whole molecule
Isotype:	IgG
Fragment:	Fab fragment
Specificity:	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum.
Purification:	Preadsorption: Solid phase absorption
Target Details	
Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody
Background:	Synonyms: Rabbit Fab Anti-Mouse IgG Antibody, Rabbit Fab Fragment Anti-Mouse IgG Antibody

Background: Fab Anti-Mouse IgG (H&L) Antibody generated in rabbit detects Mouse IgG. This product possesses the F(ab) region possessing the epitope-recognition site, both heavy and light chains of the antibody molecule are present. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

Application Details

Immunohistochemistry Dilution: 1:1,000 - 1:5,000

Application Note: Suitable for highly specific immunological methods requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

ELISA Dilution: 1:20,000 - 1:100,000

Western Blot Dilution: 1:2,000 - 1:10,000

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: None Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Dilute only prior to immediate use. Centrifuge product if not completely clear after standing at room temperature.
Storage:	4 °C
Storage Comment:	Store vial at 4 °C prior to opening. This product is stable at 4 °C as an undiluted liquid.
Expiry Date:	12 months

Publications

Product cited in:

Gingras, Raught, Gygi, Niedzwiecka, Miron, Burley, Polakiewicz, Wyslouch-Cieszynska, Aebersold, Sonenberg: "Hierarchical phosphorylation of the translation inhibitor 4E-BP1." in: **Genes & development**, Vol. 15, Issue 21, pp. 2852-64, (2001) (PubMed).