

Datasheet for ABIN965372

Goat anti-Rabbit IgG (Heavy & Light Chain) Antibody (Biotin) - Preadsorbed



Go to Product page

Overview	
Quantity:	1 mg
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Rabbit
Host:	Goat
Clonality:	Polyclonal
Conjugate:	Biotin
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB)
Product Details	
Immunogen:	Immunogen: Rabbit IgG whole molecule
Isotype:	IgG
Fragment:	Fab fragment
Specificity:	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin and anti-Goat Serum.
Purification:	Preadsorption: Solid phase absorption
Target Details	
Target:	IgG
Abstract:	IgG Products

Target Details

Preservative:

Precaution of Use:

Target Type:	Antibody
Background:	Synonyms: Goat Fab Anti-Rabbit IgG Biotin Conjugated Antibody, Goat Fab Fragment Anti-
	Rabbit IgG Antibody Biotin Conjugation
	Background: Fab Anti-Rabbit IgG (H&L) Antibody generated in goat detects immunoglobulin g
	from rabbit, both heavy and light chains of the antibody molecule are present. Each IgG has two
	antigen binding sites. Representing approximately 75 $\%$ of serum immunoglobulins, IgG is the
	most abundant antibody isotype found in the circulation. IgG molecules are synthesized and
	secreted by plasma B cells. Secondary Antibodies are available in a variety of formats and
	conjugate types. When choosing a secondary antibody product, consideration must be given to
	species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of
	cross-reactivity, and host-species source and fragment composition.
Application Details	
Application Notes:	Immunohistochemistry Dilution: 1:1,000 - 1:5,000
	Application Note: Suitable for immunoblotting, ELISA, immunohistochemistry,
	immunomicroscopy as well as other antibody based assays using streptavidin or avidin
	conjugates requiring extremely low background levels, absence of F(c) mediated binding, lot-to
	lot consistency, high titer and specificity.
	ELISA Dilution: 1:90,000
	Western Blot Dilution: 1:2,000 - 1:10,000
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 1.0 mL
	Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	1.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
	Preservative: 0.01 % (w/v) Sodium Azide

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Sodium azide

Handling

	should be handled by trained staff only.
Handling Advice:	Avoid cycles of freezing and thawing. Dilute only prior to immediate use.
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vial at -20 °C prior to opening. Aliquot contents and freeze at -20 °C or below for extended storage. This product is stable for several weeks at 0 °C as an undiluted liquid.
Expiry Date:	12 months