

Datasheet for ABIN965378

Donkey anti-Rabbit IgG (Heavy & Light Chain) Antibody (Texas Red (TR)) - Preadsorbed

1 mg



Go to Product page

()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Quantity:

quartity.	
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Rabbit
Host:	Donkey
Clonality:	Polyclonal
Conjugate:	Texas Red (TR)
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)
Product Details	
Immunogen:	Immunogen: Rabbit IgG whole molecule
iriiriariogeri.	
Isotype:	IgG
Isotype:	IgG
Isotype: Fragment:	IgG Fab fragment
Isotype: Fragment: Specificity:	IgG Fab fragment Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Donkey Serum. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex
Isotype: Fragment: Specificity: Characteristics:	IgG Fab fragment Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Donkey Serum. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Target Details

Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody
Background:	Synonyms: Donkey Fab Anti-Rabbit IgG Texas Red™ Conjugated Antibody, Donkey Fab
	Fragment Anti-Rabbit IgG Antibody Texas Red™ Conjugation
	Background: Fab Anti-Rabbit IgG (H&L) Antibody generated in donkey detects rabbit IgG.
	Representing approximately 75 % of serum immunoglobulins, IgG is the most abundant
	antibody isotype found in the circulation. IgG molecules are synthesized and secreted by
	plasma B cells. Secondary Antibodies are available in a variety of formats and conjugate types.
	When choosing a secondary antibody product, consideration must be given to species and
	immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-
	reactivity, and host-species source and fragment composition. Fab Antibody is ideal for
	investigators who routinely perform flow cytometry, immunofluorescence, IHC, and other
	immunoassays. This Fab Anti-Rabbit IgG Antibody is conjugated to Texas Red™.

Application Details

aaA	lication	Notes:

Application Note: This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

FLISA Dilution: 1:10,000 - 1:50,000

Flow Cytometry Dilution: 1:500 - 1:2,500

IF Microscopy Dilution: 1:1,000 - 1:5,000

Comment:

Texas Red[™] is a registered trademark of Molecular Probes Inc.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 1.0 mL
	Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	1.0 mg/mL

Handling

Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid cycles of freezing and thawing. Dilute only prior to immediate use. Product is photosensitive and should be protected from light.
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vial at -20 °C prior to opening. Aliquot contents and freeze at -20 °C or below for extended storage. This product is stable for several weeks at 0 °C as an undiluted liquid.
Expiry Date:	12 months