antibodies -online.com





Goat anti-Rat IgG (Heavy & Light Chain) Antibody - Preadsorbed



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	1 mg	
Target:	IgG	
Binding Specificity:	Heavy & Light Chain	
Reactivity:	Rat	
Host:	Goat	
Clonality:	Polyclonal	
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB)	

Product Details

Immunogen:	Immunogen: Rat IgG whole molecule	
Isotype:	IgG	
Fragment:	Fab fragment	
Specificity:	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum.	
Purification:	Preadsorption: Solid phase absorption	

Target Details

Target:	IgG	
Abstract:	IgG Products	
Target Type:	Antibody	
Background:	Synonyms: Goat Fab Anti-Rat IgG Antibody, Goat Fab Fragment Anti-Rat IgG Antibody	

Background: Fab Anti-Rat IgG (H&L) Antibody generated in goat detects immunoglobulin g from rat, both heavy and light chains of the antibody molecule are present. Each IgG has two antigen binding sites. Representing approximately 75 % of serum immunoglobulins, IgG is the most abundant antibody isotype found in the circulation. IgG molecules are synthesized and secreted by plasma B cells. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

Application Details

Λ	lication	N - +
Δm	แดลแดก	MULDS.

Immunohistochemistry Dilution: 1:1,000 - 1:5,000

Application Note: Suitable for highly specific immunological methods requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

ELISA Dilution: 1:5,000 - 1:20,000

Western Blot Dilution: 1:2,000 - 1:10,000

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	2.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: None Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Dilute only prior to immediate use. Centrifuge product if not completely clear after standing at room temperature.
Storage:	4 °C
Storage Comment:	Store vial at 4 °C prior to opening. This product is stable at 4 °C as an undiluted liquid.
Expiry Date:	12 months