

## Datasheet for ABIN965394 **Rabbit anti-Sheep IgG (Heavy & Light Chain) Antibody (Texas Red (TR)) - Preadsorbed**



Overview

Quantity:	500 μL
Target:	lgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Sheep
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Texas Red (TR)
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)

## Product Details

Immunogen:	Immunogen: Sheep IgG whole molecule
lsotype:	lgG
Fragment:	Fab fragment
Specificity:	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum.
Characteristics:	This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.
Purification:	Preadsorption: Solid phase absorption
Labeling Ratio:	2.4

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN965394 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

Target:	lgG
Abstract:	IgG Products
Target Type:	Antibody
Background:	Synonyms: Rabbit Fab Anti-Sheep IgG Texas Red™ Conjugated Antibody, Rabbit Fab Fragmen
	Anti-Sheep IgG Antibody Texas Red <sup>™</sup> Conjugation
	Background: Fab Anti-Sheep IgG (H&L) Antibody generated in rabbit detects sheep IgG.
	Representing approximately 75 % of serum immunoglobulins, IgG is the most abundant
	antibody isotype found in the circulation. IgG molecules are synthesized and secreted by
	plasma B cells. Secondary Antibodies are available in a variety of formats and conjugate types
	When choosing a secondary antibody product, consideration must be given to species and
	immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-
	reactivity, and host-species source and fragment composition. Fab Antibody is ideal for
	investigators who routinely perform flow cytometry, immunofluorescence, IHC, and other
	immunoassays. This Fab Anti-sheep IgG Antibody is conjugated to Texas Red™.
Application Details	
Application Notes:	Application Note: This product is designed for immunofluorescence microscopy, fluorescence
	based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for
	multiplex analysis, including multicolor imaging, utilizing various commercial platforms
	requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot
	consistency, high titer and specificity.
	FLISA Dilution: 1:10,000 - 1:50,000
	Flow Cytometry Dilution: 1:500 - 1:2,500
	IF Microscopy Dilution: 1:1,000 - 1:5,000

Restrictions: For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 500 µL Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	1.0 mg/mL

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN965394 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

Н	land	ling

Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid cycles of freezing and thawing. Dilute only prior to immediate use. Product is photosensitive and should be protected from light.
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vial at -20 °C prior to opening. Aliquot contents and freeze at -20 °C or below for extended storage. This product is stable for several weeks at 0 °C as an undiluted liquid.
Expiry Date:	12 months