

Datasheet for ABIN967278
anti-SLC30A6 antibody (C-Term)[Go to Product page](#)

2 Publications

Overview

| | |
|----------------------|--|
| Quantity: | 0.1 mg |
| Target: | SLC30A6 |
| Binding Specificity: | C-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SLC30A6 antibody is un-conjugated |
| Application: | Immunohistochemistry (IHC) |

Product Details

| | |
|------------|--|
| Immunogen: | Polyclonal antibody produced in rabbits immunizing with a synthetic peptide corresponding to very C-terminal residues of Human Znt6 (Zinc transporter 6) protein |
|------------|--|

Target Details

| | |
|-------------------|--|
| Target: | SLC30A6 |
| Alternative Name: | Znt6 (SLC30A6 Products) |
| Background: | Znt6 (Zinc transporter 6) functions Zinc-efflux transporter which allocates the cytoplasmic zinc to the trans-Golgi network (TGN) as well as the vesicular compartment. Znt6 interacts with ZNT5. Znt6 is localized in Golgi apparatus, trans-Golgi network membrane, It is a multi-pass membrane protein and is expressed in brain and liver, and to a lower extent also in lung. Znt6 seems to have lost most of the histidine residues in the loop between the fourth and fifth |

Target Details

transmembrane regions and appears to exert transport function by forming complexes with ZNT5. Znt6 belongs to the cation diffusion facilitator (CDF) transporter (TC 2.A.4) family and SLC30A subfamily.

Synonyms: Slc30a6 (Solute carrier family 30 member 6)

Pathways: [Peptide Hormone Metabolism](#), [SARS-CoV-2 Protein Interactome](#)

Application Details

Restrictions: For Research Use only

Handling

Storage: 4 °C

Publications

Product cited in: Gertych, Oh, Wawrowsky, Weisenberger, Tajbakhsh: "3-D DNA methylation phenotypes correlate with cytotoxicity levels in prostate and liver cancer cell models." in: **BMC pharmacology & toxicology**, Vol. 14, pp. 11, (2013) ([PubMed](#)).

Tajbakhsh: "Covisualization of methylcytosine, global DNA, and protein biomarkers for In Situ 3D DNA methylation phenotyping of stem cells." in: **Methods in molecular biology (Clifton, N.J.)**, Vol. 1052, pp. 77-88, (2013) ([PubMed](#)).

Fukuda, Ichiyanagi, Yamada, Go, Udono, Wada, Maeda, Soejima, Saitou, Ito, Sasaki: "Regional DNA methylation differences between humans and chimpanzees are associated with genetic changes, transcriptional divergence and disease genes." in: **Journal of human genetics**, Vol. 58, Issue 7, pp. 446-54, (2013) ([PubMed](#)).

Kurita, Arai, Nakamoto, Kato, Niwa: "Determination of DNA methylation using electrochemiluminescence with surface accumable coreactant." in: **Analytical chemistry**, Vol. 84, Issue 4, pp. 1799-803, (2012) ([PubMed](#)).

Kurita, Niwa: "DNA methylation analysis triggered by bulge specific immuno-recognition." in: **Analytical chemistry**, Vol. 84, Issue 17, pp. 7533-8, (2012) ([PubMed](#)).