.-online.com antibodies

Datasheet for ABIN968051 anti-Gephyrin antibody (AA 569-726)

3 Images

4 Publications



Overview

Quantity:	150 µg
Target:	Gephyrin (GPHN)
Binding Specificity:	AA 569-726
Reactivity:	Human, Mouse, Rat, Chicken
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Gephyrin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP)

Product Details

Immunogen:	Rat Gephyrin aa. 569-726
Clone:	45-Gephyrin
Isotype:	lgG1
Cross-Reactivity:	Chicken, Human, Mouse (Murine)
Characteristics:	1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
	2. Please refer to us for technical protocols.
	3. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide
	compounds in running water before discarding to avoid accumulation of potentially explosive
	deposits in plumbing.
	4. Source of all serum proteins is from USDA inspected abattoirs located in the United States.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN968051 | 02/13/2024 | Copyright antibodies-online. All rights reserved.

Product Details	
Purification:	The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity
	chromatography.

Target Details

Target:	Gephyrin (GPHN)
Alternative Name:	Gephyrin (GPHN Products)
Background:	The sub-membraneous region of the postsynaptic neuron is an intricate network of cytoskeletal elements generally known as the postsynaptic density. It is thought that this elaborate cytoskeletal region is critical for receptor targeting, clustering, and efficient signal input. Gephyrin, a 93 kDa protein, was identified as a result of its ability to bind to polymerized tubulin (microtubules). Although expressed in all tissues, gephyrin mRNA is found most abundantly in brain. Alternative splicing produces at least five different mRNAs. Gephyrin colocalizes and interacts with the glycine receptor at the postsynaptic density. It is possible that Gephyrin acts as an anchor between the glycine receptor and microtubules. This antibody is routinely tested by western blot analysis.
Molecular Weight:	93 kDa
Pathways:	Synaptic Membrane, Skeletal Muscle Fiber Development
Application Details	
Comment:	Related Products: ABIN968546, ABIN967389
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	250 μg/mL
Buffer:	Aqueous buffered solution containing BSA, glycerol, and ≤ 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store undiluted at -20° C.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN968051 | 02/13/2024 | Copyright antibodies-online. All rights reserved. Product cited in:


Kneussel, Haverkamp, Fuhrmann, Wang, Wässle, Olsen, Betz: "The gamma-aminobutyric acid type A receptor (GABAAR)-associated protein GABARAP interacts with gephyrin but is not involved in receptor anchoring at the synapse." in: **Proceedings of the National Academy of Sciences of the United States of America**, Vol. 97, Issue 15, pp. 8594-9, (2000) (PubMed).

Feng, Tintrup, Kirsch, Nichol, Kuhse, Betz, Sanes: "Dual requirement for gephyrin in glycine receptor clustering and molybdoenzyme activity." in: **Science (New York, N.Y.)**, Vol. 282, Issue 5392, pp. 1321-4, (1998) (PubMed).

Meyer, Kirsch, Betz, Langosch: "Identification of a gephyrin binding motif on the glycine receptor beta subunit." in: **Neuron**, Vol. 15, Issue 3, pp. 563-72, (1995) (PubMed).

Prior, Schmitt, Grenningloh, Pribilla, Multhaup, Beyreuther, Maulet, Werner, Langosch, Kirsch: " Primary structure and alternative splice variants of gephyrin, a putative glycine receptor-tubulin linker protein." in: **Neuron**, Vol. 8, Issue 6, pp. 1161-70, (1992) (PubMed).


Images



Western Blotting

Image 1. Western blot analysis of Gephyrin on rat brain lysate. Lane 1: 1:250, lane 2: 1:500, lane 3: 1:1000 dilution of anti-Gephyrin.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN968051 | 02/13/2024 | Copyright antibodies-online. All rights reserved.



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Rat cerebellum, formalin-fixed paraffin embedded tissue, with citrate pre-treatment, 20X.

Image 3.

Generated from rat Gephyrin



Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN968051 | 02/13/2024 | Copyright antibodies-online. All rights reserved.