

Datasheet for ABIN968981

**anti-BLK antibody****2** Images**1** Publication[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	BLK
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

## Product Details

Immunogen:	Purified recombinant fragment of BLK expressed in E. coli.
Clone:	9D10B7
Isotype:	IgG1
Purification:	purified

## Target Details

Target:	BLK
Alternative Name:	BLK ( <a href="#">BLK Products</a> )
Background:	Description: BLK ( B lymphoid tyrosine kinase), with 505-amino acid protein (about 56KDa), belongs to the Src non-receptor tyrosine kinases family.Different subcellular localizations of Src-family kinases may be important for the regulation of specific cellular processes such as mitogenesis, cytoskeletal organization, and membrane trafficking.Blk is expressed exclusively by B lymphocytes and it is thought to function in a signal transductory pathway specific to this

## Target Details

lineage. B lymphoid expression of an active Blk mutant caused proliferation of B progenitor cells and enhanced responsiveness of these cells to interleukin 7. Thus, sustained activation of Blk induces responses normally associated with the pre-BCR.

Aliases: MGC10442

Gene ID: 640

HGNC: 640

Pathways: [Positive Regulation of Peptide Hormone Secretion](#), [CXCR4-mediated Signaling Events](#), [Thromboxane A2 Receptor Signaling](#)

## Application Details

Application Notes: ELISA: 1:10000, WB: 1:500 - 1:2000, IHC: 1:200 - 1:1000

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Ascitic fluid containing 0.03 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C/-20 °C


Storage Comment: 4°C, -20°C for long term storage

## Publications

Product cited in: Golledge, Biros, Clancy, Cooper, Palmer, Norman: "A single-nucleotide polymorphism in the gene encoding osteoprotegerin is associated with diastolic blood pressure in older men." in: **American journal of hypertension**, Vol. 22, Issue 11, pp. 1167-70, (2009) ([PubMed](#)).

Talmud, Drenos, Shah, Shah, Palmen, Verzilli, Gaunt, Pallas, Lovering, Li, Casas, Sofat, Kumari, Rodriguez, Johnson, Newhouse, Dominiczak, Samani, Caulfield, Sever, Stanton, Shields, Padmanabhan et al.: "Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. ..." in: **American journal of human genetics**, Vol. 85, Issue 5, pp.

Images



Immunohistochemistry

**Image 1.** Immunohistochemical analysis of paraffin-embedded human breast tissue (A), lymph tissue (B) and skin carcinoma (C), showing membrane localization using BLK mouse mAb with DAB staining.

Western Blotting

**Image 2.** Western blot analysis using BLK mouse mAb against truncated BLK recombinant protein Raji cell lysate.