

Datasheet for ABIN969071

anti-CTCF antibody[Go to Product page](#)**1** Image**3** Publications

Overview

Quantity:	100 µL
Target:	CTCF
Reactivity:	Human, Monkey
Host:	Mouse
Clonality:	Monoclonal
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Purified recombinant fragment of human CTCF expressed in E. coli.
Clone:	1D11
Isotype:	IgG1
Purification:	purified

Target Details

Target:	CTCF
Alternative Name:	CTCF (CTCF Products)
Background:	Description: This gene is a member of the BORIS + CTCF gene family and encodes a transcriptional regulator protein with 11 highly conserved zinc finger (ZF) domains. This nuclear protein is able to use different combinations of the ZF domains to bind different DNA target sequences and proteins. Depending upon the context of the site, the protein can bind a histone acetyltransferase (HAT)-containing complex and function as a transcriptional activator or bind

Target Details

a histone deacetylase (HDAC)-containing complex and function as a transcriptional repressor. If the protein is bound to a transcriptional insulator element, it can block communication between enhancers and upstream promoters, thereby regulating imprinted expression. Mutations in this gene have been associated with invasive breast cancers, prostate cancers, and Wilms' tumors. Tissue specificity: Ubiquitous. Absent in primary spermatocytes. Aliases: CTCF

Molecular Weight: 83 kDa

Gene ID: 10664

HGNC: 10664

Application Details

Application Notes: ELISA: 1:10000, WB: 1:500 - 1:2000

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Ascitic fluid containing 0.03 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C/-20 °C


Storage Comment: 4°C, -20°C for long term storage

Publications

Product cited in: Golledge, Biros, Clancy, Cooper, Palmer, Norman: "A single-nucleotide polymorphism in the gene encoding osteoprotegerin is associated with diastolic blood pressure in older men." in: **American journal of hypertension**, Vol. 22, Issue 11, pp. 1167-70, (2009) ([PubMed](#)).

Talmud, Drenos, Shah, Shah, Palmen, Verzilli, Gaunt, Pallas, Lovering, Li, Casas, Sofat, Kumari, Rodriguez, Johnson, Newhouse, Dominiczak, Samani, Caulfield, Sever, Stanton, Shields, Padmanabhan et al.: "Gene-centric association signals for lipids and apolipoproteins identified

via the HumanCVD BeadChip. ..." in: **American journal of human genetics**, Vol. 85, Issue 5, pp. 628-42, (2009) ([PubMed](#)).



Western Blotting

Image 1. Western blot analysis using CTCF mouse mAb against A31 (1), MCF-7 (2), Hela (3), HCT116 (4), Jurkat (5), NIH/3T3 (6), and Cos7 (7) cell lysate.