
# antibodies -online.com





## anti-FGG antibody

3 Images

2

**Publications** 



Go to Product page

#### Overview

Quantity:	100 μL
Target:	FGG
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC)

### **Product Details**

Immunogen:	Purified recombinant fragment of human FGG expressed in E. coli.
Clone:	5A6
Isotype:	lgG2b
Purification:	purified

## **Target Details**

Target:	FGG
Alternative Name:	FGG (FGG Products)
Background:	Description: The protein encoded by this gene is the gamma component of fibrinogen, a blood-
	borne glycoprotein comprised of three pairs of nonidentical polypeptide chains. Following
	vascular injury, fibrinogen is cleaved by thrombin to form fibrin which is the most abundant
	component of blood clots. In addition, various cleavage products of fibrinogen and fibrin
	regulate cell adhesion and spreading, display vasoconstrictor and chemotactic activities, and

## **Target Details**

	are mitogens for several cell types. Mutations in this gene lead to several disorders, including dysfibrinogenemia, hypofibrinogenemia and thrombophilia. Alternative splicing results in two transcript variants encoding different isoforms.  Aliases: FGG
Molecular Weight:	52 kDa
Gene ID:	2266
HGNC:	2266


## **Application Details**

Application Notes:	ELISA: 1:10000, WB: 1:500 - 1:2000, ICC: 1:200 - 1:1000
Restrictions:	For Research Lise only

## Handling


Format:	Liquid
Buffer:	Ascitic fluid containing 0.03 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C
Storage Comment:	4°C, -20°C for long term storage
Publications	
Product cited in:	Trilck, Peter, Zheng, Frank, Dobrenis, Mascher, Rolfs, Frech: "Diversity of glycosphingolipid GM2

and cholesterol accumulation in NPC1 patient-specific iPSC-derived neurons." in: **Brain** research, Vol. 1657, pp. 52-61, (2016) (PubMed).




#### **Immunofluorescence**

**Image 1.** Immunofluorescence analysis of NIH/3T3 cells using FGG mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



#### **Western Blotting**

**Image 2.** Western blot analysis using FGG mAb against human FGG (AA: 210-437) recombinant protein. (Expected MW is 51.5 kDa)



#### **ELISA**

Image 3. Red: Control Antigen (100 ng), Purple: Antigen (10 ng), Green: Antigen (50 ng), Blue: Antigen (100 ng),