

Datasheet for ABIN969478

anti-EPHA1 antibody**2** Images**1** Publication[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	EPHA1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This EPHA1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Purified recombinant fragment of EphA1 expressed in E. coli.
Clone:	5D2
Isotype:	IgG1
Purification:	purified

Target Details

Target:	EPHA1
Alternative Name:	EphA1 (EPHA1 Products)
Background:	Description: EPH receptor A1 (EphA1), with 976-amino acid protein(about 107 kDa), belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. The Eph subfamily represents the largest group of receptor protein tyrosine kinases identified to date and their ligands, the ephrins, can be subdivided into two major subclasses, ephrin-A and ephrin-B.

Target Details

Interaction of Eph receptor tyrosine kinases with their membrane bound ephrin ligands initiates bidirectional signaling events that regulate cell migratory and adhesive behavior, particularly in the nervous system. They have been implicated in various developmental processes, including axonal guidance, angiogenesis, morphogenesis and carcinogenesis.

Aliases: EPH, EPHT, EPHT1

Molecular Weight: 108 kDa

Gene ID: 2041

HGNC: 2041

Application Details

Application Notes: ELISA: 1:10000, WB: 1:500 - 1:2000, IHC: 1:200 - 1:1000

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified antibody in PBS containing 0.03 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C/-20 °C

Storage Comment: 4°C, -20°C for long term storage


Publications

Product cited in: Mishra, Thakur, Somal, Parmar, Yadav, Bharati, Bharti, Paul, Verma, Chouhan, Sharma, Singh, González, DOcchio, Sarkar et al.: "Expression and localization of angiopoietin family in buffalo ovarian follicles during different stages of development and modulatory role of angiopoietins on steroidogenesis and survival of cultured ..." in: **Theriogenology**, Vol. 86, Issue 7, pp. 1818-33, (2016) ([PubMed](#)).

Mishra, Parmar, Yadav, Reshma, Bharati, Bharti, Paul, Chouhan, Taru Sharma, Singh, Sarkar et al.: "Expression and localization of angiopoietin family in corpus luteum during different stages


of oestrous cycle and modulatory role of angiopoietins on steroidogenesis, angiogenesis and survivability ..." in: **Reproduction in domestic animals = Zuchthygiene**, Vol. 51, Issue 6, pp. 855-869, (2016) ([PubMed](#)).

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of paraffin-embedded human ovary carcinoma (left) and breast carcinoma (right), showing cytoplasmic localization using EphA1 mouse mAb with DAB staining.



Western Blotting

Image 2. Western blot analysis using EphA1 mouse mAb against A549 (1) and Hela (2) cell lysate.