
# antibodies - online.com







# anti-TGFB1 antibody (AA 62-195)





$\sim$	
( )\/\Di	view
	V I C V V

Quantity:	0.1 mg
Target:	TGFB1
Binding Specificity:	AA 62-195
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This TGFB1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Flow Cytometry (FACS)

# **Product Details**

Immunogen:	Purified recombinant fragment of human TGFb1 (AA: 62-195) expressed in E. coli.
Clone:	7F6
Isotype:	lgG1
Purification:	purified

# Target Details

Target:	TGFB1
Alternative Name:	TGFb1 (TGFB1 Products)
Background:	Description: This gene encodes a member of the transforming growth factor beta (TGFB)
	family of cytokines, which are multifunctional peptides that regulate proliferation,

differentiation, adhesion, migration, and other functions in many cell types. Many cells have TGFB receptors, and the protein positively and negatively regulates many other growth factors. The secreted protein is cleaved into a latency-associated peptide (LAP) and a mature TGFB1 peptide, and is found in either a latent form composed of a TGFB1 homodimer, a LAP homodimer, and a latent TGFB1-binding protein, or in an active form composed of a TGFB1 homodimer. The mature peptide may also form heterodimers with other TGFB family members. This gene is frequently upregulated in tumor cells, and mutations in this gene result in Camurati-Engelmann disease

Aliases: CED, LAP, DPD1, TGFB, TGFbeta

 Molecular Weight:
 44.3 kDa

 Gene ID:
 7040

 HGNC:
 7040

EGFR Signaling Pathway, Dopaminergic Neurogenesis, Cellular Response to Molecule of Bacterial Origin, Glycosaminoglycan Metabolic Process, Regulation of Leukocyte Mediated Immunity, Regulation of Muscle Cell Differentiation, Positive Regulation of Immune Effector Process, Cell-Cell Junction Organization, Production of Molecular Mediator of Immune Response, Ribonucleoside Biosynthetic Process, Skeletal Muscle Fiber Development, Regulation of Carbohydrate Metabolic Process, Protein targeting to Nucleus, Autophagy, Cancer Immune Checkpoints

# **Application Details**

Application Notes:	ELISA: 1:10000, WB: 1:500 - 1:2000, IHC: 1:200 - 1:1000, FCM: 1:200 - 1:400
Restrictions:	For Research Use only

# Handling

Pathways:

Format:	Liquid
Buffer:	Purified antibody in PBS with 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C

Storage Comment:

4°C, -20°C for long term storage

### **Publications**

Product cited in:

Gertych, Oh, Wawrowsky, Weisenberger, Tajbakhsh: "3-D DNA methylation phenotypes correlate with cytotoxicity levels in prostate and liver cancer cell models." in: **BMC pharmacology & toxicology**, Vol. 14, pp. 11, (2013) (PubMed).


Tajbakhsh: "Covisualization of methylcytosine, global DNA, and protein biomarkers for In Situ 3D DNA methylation phenotyping of stem cells." in: **Methods in molecular biology (Clifton, N.J.)**, Vol. 1052, pp. 77-88, (2013) (PubMed).

Fukuda, Ichiyanagi, Yamada, Go, Udono, Wada, Maeda, Soejima, Saitou, Ito, Sasaki: "Regional DNA methylation differences between humans and chimpanzees are associated with genetic changes, transcriptional divergence and disease genes." in: **Journal of human genetics**, Vol. 58, Issue 7, pp. 446-54, (2013) (PubMed).

Kurita, Arai, Nakamoto, Kato, Niwa: "Determination of DNA methylation using electrochemiluminescence with surface accumulable coreactant." in: **Analytical chemistry**, Vol. 84, Issue 4, pp. 1799-803, (2012) (PubMed).


Kurita, Niwa: "DNA methylation analysis triggered by bulge specific immuno-recognition." in: **Analytical chemistry**, Vol. 84, Issue 17, pp. 7533-8, (2012) (PubMed).

### **Images**




# **ELISA**

**Image 1.** Black line: Control Antigen (100 ng), Purple line: Antigen(10 ng), Blue line: Antigen (50 ng), Red line: Antigen (100 ng),



# **Flow Cytometry**

**Image 2.** Flow cytometric analysis of A549 cells using TGFb1 mouse mAb (green) and negative control (red).



# **Immunohistochemistry**

**Image 3.** Immunohistochemical analysis of paraffinembedded lung cancer tissues using TGFb1 mouse mAb with DAB staining.

Please check the product details page for more images. Overall 5 images are available for ABIN969570.