

Datasheet for ABIN1031189

anti-SARS-CoV Spike antibody (Intermediate Domain 1)





Overview
Quantity.

Quantity:	0.1 mg
Target:	SARS-CoV Spike (SARS-CoV S)
Binding Specificity:	Intermediate Domain 1
Reactivity:	SARS Coronavirus (SARS-CoV)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SARS-CoV Spike antibody is un-conjugated
Application:	ELISA
D	
Product Details	

Immunogen:	Anti-SARS-CoV Spike antibody was raised against a peptide corresponding to 16 amino acids
	near the center of SARS-CoV Spike glycoprotein.
	The immunogen is located within amino acids 410-460 of SARS-CoV Spike.
Isotype:	IgG
Predicted Reactivity:	Predicted reactivity based on immunogen sequence: SARS-CoV2 Spike protein: (identity 56%,
	homology 69%)
Purification:	Affinity chromatography purified via peptide column

Target Details

Target:	SARS-CoV Spike (SARS-CoV S)
Alternative Name:	SARS-CoV Spike (SARS-CoV S Products)


Target Details

Target Type:	Viral Protein
Background:	Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease
	is an infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus. The
	disease is the cause of the 2019-20 coronavirus outbreak. The structure of 2019-nCoV
	consists of the following: a Spike protein (S), hemagglutinin-esterease dimer (HE), a membrane
	glycoprotein (M), an envelope protein (E) a nucleoclapid protein (N) and RNA. Coronavirus
	invades cells through Spike (S) glycoproteins, a class I fusion protein. It is the major viral
	surface protein that coronavirus uses to bind to the human cell surface receptor. It also
	mediates the fusion of host and viral cell membrane, allowing the virus to enter human cells
	and begin infection. The spike protein is the major target for neutralizing antibodies and vaccine
	development. The protein modeling suggests that there is strong interaction between Spike
	protein receptor-binding domain and its host receptor angiotensin-converting enzyme 2 (ACE2),
	which regulate both the cross-species and human-to-human transmissions of COVID-19. The
	recent study has shown that the SARS-CoV-2 spike protein binds ACE2 with higher affinity than
	SARS-CoV spike protein .
Gene ID:	1489668
NCBI Accession:	P59594
Application Details	
Application Notes:	SARS-CoV Spike antibody can be used for the detection of SARS-CoV Spike protein in ELISA. It
	will detect 2 ng of free peptide at 1 μg/mL.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	The antibody is supplied in PBS containing 0.02% sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	
Handling Advice:	As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies

Handling

Storage:	4 °C/-20 °C
Storage Comment:	The antibody can be stored at 4 $^{\circ}$ C for three months and -20 $^{\circ}$ C, stable for up to one year.
Expiry Date:	12 months

Images



ELISA

Image 1. ELISA Test Antibodies: SARS-CoV Spike Antibody, ABIN1031189 (1 μ g/mL). A sandwich ELISA was performed using immunogen as coating antigen and the anti-SARS-CoV Spike antibody as the capture antibody. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:20000 dilution. Detection range is from 2 ng/mL to 1000ng/mL.