

## Datasheet for ABIN1176202

## anti-SIGLEC10 antibody (Biotin)



	er		

Overview		
Quantity:	200 μL	
Target:	SIGLEC10	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SIGLEC10 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Purpose:	Biotin-Linked Polyclonal Antibody to Sialic Acid Binding Ig Like Lectin 10 (SIGLEC10)	
Immunogen:	The antibody is a rabbit polyclonal antibody raised against SIGLEC10 conjugated to biotin.	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against SIGLEC10. It has been selected for its ability to recognize SIGLEC10 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	SIGLEC10	
Alternative Name:	Sialic Acid Binding Ig Like Lectin 10 (SIGLEC10 Products)	
Background:	PRO940, SLG2, Sialic Acid Binding Ig-Like Lectin 10 Ig-Like Lectin 7, Siglec-Like Gene 2	

## **Application Details**

Application betails			
Application Notes:	Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	500 μg/mL		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.		
Handling Advice:	Avoid repeated freeze/thaw cycles		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		