# antibodies .- online.com







## anti-DERL1 antibody (AA 111-220) (Alexa Fluor 555)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	DERL1	
Binding Specificity:	AA 111-220	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DERL1 antibody is conjugated to Alexa Fluor 555	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DERLIN-1	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	DERL1	
Alternative Name:	DERLIN-1 (DERL1 Products)	

### **Target Details**

Background:	Synonyms: Derlin1, Derlin1, Derlin 1, DER1, DER-1, DER 1, DERL1_HUMAN.	
	Background: Degradation in endoplasmic reticulum proteins, also designated Derlins or	
	DERtrins, are crucial for the degradation of misfolded endoplasmic reticulum (ER) luminal	
	proteins. Derlin proteins are multi-pass membrane proteins localizing to the ER. Derlins are	
	involved in transferring misfolded proteins from the ER to the cytosol, where the misfolded	
	proteins are destroyed in an ubiquitin-dependent manner by the proteasome. In the case of	
	cytomegalovirus infection, Derlin-1, as opposed to Derlins-2 and -3, is involved in the export of	
	MHC class I heavy chains from the ER via its interaction with the viral protein US11. Derlins may	
	also be important for cell proliferation.	
Gene ID:	79139	
UniProt:	Q9BUN8	
Pathways:	ER-Nucleus Signaling	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	