antibodies -online.com





Datasheet for ABIN1391380

anti-DSCAM antibody (AA 301-400) (AbBy Fluor® 488)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL
Target:	DSCAM
Binding Specificity:	AA 301-400
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DSCAM antibody is conjugated to AbBy Fluor® 488
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Dscam
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	DSCAM
Alternative Name:	Dscam (DSCAM Products)

Target Details

Background:	Synonyms: CHD2, CHD2-42, CHD2-52, Down syndrome cell adhesion molecule, DSCAM
	Background: Cell adhesion molecule that plays a role in neuronal self-avoidance. Promotes
	repulsion between specific neuronal processes of either the same cell or the same subtype of
	cells. Mediates within retinal amacrine and ganglion cell subtypes both isoneuronal self-
	avoidance for creating an orderly dendritic arborization and heteroneuronal self-avoidance to
	maintain the mosaic spacing between amacrine and ganglion cell bodies. Receptor for netrin
	required for axon guidance independently of and in collaboration with the receptor DCC. In
	spinal chord development plays a role in guiding commissural axons projection and pathfinding
	across the ventral midline to reach the floor plate upon ligand binding. Enhances netrin-induced
	phosphorylation of PAK1 and FYN. Mediates intracellular signaling by stimulating the activation
	of MAPK8 and MAP kinase p38.
Gene ID:	1826
UniProt:	060469
Pathways:	Regulation of Cell Size
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
01	-20 °C
Storage:	

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months