antibodies.com

Datasheet for ABIN1392449 anti-APBB3 antibody (AA 401-486) (Alexa Fluor 555)



Overview

Quantity:	100 µL
Target:	APBB3
Binding Specificity:	AA 401-486
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APBB3 antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human APBB3/FE65L2
Isotype:	lgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep
Purification:	Purified by Protein A.
Target Details	
Target:	APBB3

Alternative Name:	APBB3/FE65L2 (APBB3 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1392449 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Synonyms: Amyloid beta A4 precursor protein binding family B member 3, Amyloid beta A4
	precursor protein-binding family B member 3, amyloid beta precursor protein binding family B
	member 3, amyloid precursor interacting protein, Apbb3, APBB3_HUMAN, Fe65 like protein 2,
	FE65L2, Protein Fe65-like 2, SRA.
	Background: Fe65L2 is a 486 amino acid protein that contains one WW domain and two PID
	domains. Binding to the intracellular domain of the -Amyloid precursor protein, Fe65L2 is
	thought to modulate the internalization and, therefore, the accessibility and function of -
	Amyloid. Via its ability to control the intracellular accumulation of -Amyloid, Fe65L2 is thought
	to play a role in the pathogenesis of Alzheimer's disease. Fe65L2 exists as four alternatively
	spliced isoforms designated isoform I, isoform II, isoform III and isoform IV. Fe65L2 interacts
	with Amyloid-like protein and is encoded by a gene located on human chromosome 5, which
	contains 181 million base pairs and comprises nearly 6 % of the human genome. Deletion of
	the p arm of chromosome 5 leads to Cri du chat syndrome, while deletion of the q arm or of
	chromosome 5 altogether is common in therapy-related acute myelogenous leukemias and
	myelodysplastic syndrome.
Gene ID:	10307
UniProt:	095704
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1392449 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months