

Datasheet for ABIN1393251

anti-ube3a antibody (AA 701-800) (AbBy Fluor® 350)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	ube3a
Binding Specificity:	AA 701-800
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ube3a antibody is conjugated to AbBy Fluor® 350
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human UBE3A/E6-AP
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	ube3a
Alternative Name:	UBE3A/E6-AP (ube3a Products)

Target Details

Background:	Synonyms: ANCR, Angelman syndrome, AS, CTCL tumor antigen se37 2, E6 AP, E6AP antibody E6AP ubiquitin protein ligase, E6AP ubiquitin protein ligase, E6AP ubiquitin-protein ligase, EPVE6AP, HPVE6A, Human papilloma virus E6 associated protein Angelman syndrome, Human papilloma virus E6 associated protein, Human papillomavirus E6-associated protein, NY REN 54 antigen, NY REN 54 antigen, Oncogenic protein associated protein E6 AP, Oncogenic protein associated protein E6AP, Oncogenic protein-associated protein E6-AP, Renal carcinoma antigen NY REN 54, Renal carcinoma antigen NY-REN-54, UBE 3A, Ube3a, UBE3A protein, UBE3A_HUMAN, Ubiquitin protein ligase E3A, Ubiquitin-protein ligase E3A. Background: E6-associating protein is a component of the ubiquitin-mediated proteolytic pathway, which selectively targets proteins for degradation by the 26S proteasome. Ubiquitin (Ub) is directly conjugated to protein substrates by the transfer of Ub from an E2 ubiquitin conjugating enzyme to the target protein. This conjugation is facilitated by the enzymatic activity of E3 ubiquitin ligase family members such as E6-AP. Several substrates of E6-AP have been identified and include the tumor suppressor protein p53 and the mammalian homolog of Rad23, HHR23A. Previous studies have indicated that E6-AP associates with the human papillomavirus E6 oncogene, which complexes with p53 and thereby potentiates E6-AP mediated ubiquitination of p53. Genetic mutations that impair E6-AP activity result in the accumulation of p53 in the cytoplasm, and, in many instances, these mutations are associated with the development of the rare neurodevelopmental disorder Angelman syndrome (AS), which is characterized by severe motor dysfunction and mental retardation.
-------------	---

Gene ID:	7337
----------	------

Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway
-----------	--

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

Handling

	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months