# antibodies -online.com





# anti-TTC21B antibody (AA 1221-1316) (Alexa Fluor 350)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	TTC21B	
Binding Specificity:	AA 1221-1316	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TTC21B antibody is conjugated to Alexa Fluor 350	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TTC21B	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human, Mouse, Dog, Cow, Sheep, Pig, Horse, Rabbit	
Purification:	Purified by Protein A.	

### Target Details

Target:	TTC21B
Alternative Name:	TTC21B (TTC21B Products)

### **Target Details**

•		
Background:	Synonyms: ATD4, JBTS11, Nbla10696, NPHP12, Putative protein product of Nbla10696,	
	Tetratricopeptide repeat protein 21B, THM1, TPR repeat protein 21B, TT21B_HUMAN, Ttc21b.	
	Background: The tetratricopeptide repeat (TPR) motif is a degenerate, 34 amino acid sequence	
	found in many proteins and acts to mediate protein-protein interactions in various pathways. At	
	the sequence level, there can be up to 16 tandem TPR repeats, each of which has a helix-turn-	
	helix shape that stacks on other TPR repeats to achieve ligand binding specificity. TTC21B	
	(tetratricopeptide repeat domain 21B), also known as THM1, is a 1,316 amino acid protein that	
	contains 19 TPR repeats and belongs to the TTC21 family. Localizing to cytoplasm and	
	cytoskeleton, TTC21B exists as two alternatively spliced isoforms and is thought to negatively	
	regulate Shh signal transduction. TTC21B may also be involved in retrograde intraflagellar	
	transport in cilia, and is encoded by a gene that maps to human chromosome 2q24.3.	
Gene ID:	79809	
UniProt:	Q7Z4L5	
Pathways:	Hedgehog Signaling	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

	lI	1:
-	เวทก	111111
	land	11110

Expiry Date:

12 months