# antibodies -online.com





## anti-HAGHL antibody (AA 1-100) (FITC)



Go to Product page

( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	HAGHL	
Binding Specificity:	AA 1-100	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HAGHL antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HAGHL
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

### **Target Details**

Target:	HAGHL
Alternative Name:	HAGHL (HAGHL Products)

## Target Details

Expiry Date:

· ·			
Background:	Synonyms: HAGHL, HAGHL_HUMAN, Hydroxyacylglutathione hydrolase-like,		
	Hydroxyacylglutathione hydrolase-like protein.		
	Background: The hydroxyacylglutathione hydrolase-like protein (HAGHL) is a 290 amino acid		
	protein that belongs to the glyoxalase II family. HAGHL binds two zinc ions per subunit and acts		
	as a hydrolase on ester bonds. The gene encoding HAGHL maps to human chromosome 16,		
	which encodes over 900 genes in approximately 90 million base pairs, makes up nearly 3 % of		
	human cellular DNA and is associated with a variety of genetic disorders. The rare disorder		
	Rubinstein-Taybi syndrome is associated with chromosome 16, as is Crohn's disease, a		
	gastrointestinal inflammatory condition that may involve the NOD2 gene. An association with		
	systemic lupus erythematosis and a number of other autoimmune disorders with the		
	pericentromeric region of chromosome 16 has led to the identification of SLC5A11 as a		
	potential autoimmune modifier.		
Gene ID:	84264		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

12 months