antibodies -online.com





anti-FSIP1 antibody (AA 101-200) (Alexa Fluor 350)



Go to Product page

\sim			
	N/P	r\/I	i⊢₩

Quantity:	100 μL	
Target:	FSIP1	
Binding Specificity:	AA 101-200	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FSIP1 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FSIP1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep
Purification:	Purified by Protein A.

Target Details

Target:	FSIP1
Alternative Name:	FSIP1 (FSIP1 Products)

Target Details

Background:	Synonyms: Fibrous sheath interacting protein 1, FLJ35989, HSD10, FSIP1_HUMAN.	
	Background: FSIP1 is a 581 amino acid protein that is expressed in airway epithelium. A	
	member of the FSIP1 family, FSIP1 is encoded by a gene that maps to human chromosome	
	15q14 and mouse chromosome 2 E5. Encoding more than 700 genes, chromosome 15 is	
	made up of approximately 106 million base pairs and is about 3 % of the human genome.	
	Angelman and Prader-Willi syndromes are associated with loss of function or deletion of genes	
	in the 15q11-q13 region. In the case of Angelman syndrome, this loss is due to inactivity of the	
	maternal 15q11-q13 encoded UBE3A gene in the brain by either chromosomal deletion or	
	mutation. In cases of Prader-Willi syndrome, there is a partial or complete deletion of this region	
	from the paternal copy of chromosome 15. Tay-Sachs disease is a lethal disorder associated	
	with mutations of the HEXA gene, which is encoded by chromosome 15. Marfan syndrome is	
	associated with chromosome 15 through the FBN1 gene.	
Gene ID:	161835	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
Application Notes.	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	·	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	