antibodies.com

Datasheet for ABIN1400870 anti-ART5 antibody (FITC)



	1/11
Product Details	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Conjugate:	This ART5 antibody is conjugated to FITC
Clonality:	Polyclonal
Host:	Rabbit
Reactivity:	Human, Mouse, Rat
Target:	ART5
Quantity:	100 μL
Overview	

Immunogen:	KLH conjugated synthetic peptide derived from human ART5
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	ART5
Alternative Name:	ART5 (ART5 Products)
Background:	Synonyms: ADP ribosyltransferase 5, ART 5, EC 2.4.2.31, Ecto ADP ribosyltransferase 5, MGC22848, Mono ADP ribosyl transferase 5, NADP+ arginine ADP ribosyltransferase 5, NAR5_HUMAN.
	Background: Mono-ADP-ribosylation is one of the posttranslational protein modifications

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1400870 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

Target Details

	regulating cellular metabolism (e.g. nitrogen fixation) in prokaryotes. Mono-ADP-ribosylation is
	a process in which the ADP-ribose moiety of nicotinamide adenine dinucleotide is transferred to
	an acceptor amino acid. Five mammalian ADP-ribosyltransferases (ART1-ART5) have been
	cloned, and each ART is expressed in different tissues. ART5 (ADP-ribosyltransferase 5), also
	known as Ecto-ADP-ribosyltransferase 5, is a 292 amino acid secretory protein that is
	expressed in testis, heart, skeletal muscle and lymphoma. Functionally, ART5 is implicatetd to
	play a role in cell signaling and metabolism cascades. Two isoforms of ART5 exist as a result
	of alternative splicing events.
Gene ID:	116969
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months