antibodies - online.com







anti-MYLK3 antibody (Biotin)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	MYLK3
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYLK3 antibody is conjugated to Biotin
Application:	Western Blotting (WB)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MYLK3
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	MYLK3	
Alternative Name:	MYLK3 (MYLK3 Products)	
Background:	Synonyms: caMLCK, Cardiac MyBP C associated Ca/CaM kinase, Cardiac-MyBP-C-associated Ca/CaM kinase, MLC kinase, MLCK, MLCK2, Mylk3, MYLK3_HUMAN, Myosin light chain kinase	
	3, Putative myosin light chain kinase 3.	
	Background: The Ca2+/calmodulin-dependent protein kinases (CaM kinases) are a structurally	

Target Details

related subfamily of serine/threonine kinases that includes CaMKI, CaMKII, CaMKIV and Myosin light chain kinases (MYLKs, also designated MLCKs). The MYLK kinases phosphorylate Myosin regulatory light chains to catalyze Myosin interaction with Actin filaments, resulting in contractile activity. MYLK3 (Myosin light chain kinase 3) is a 795 amino acid cardiac-specific protein that contains one protein kinase domain and belongs to the protein kinase superfamily. Like other MYLK kinases, MYLK3 is thought to play a role in smooth muscle contraction, specifically using magnesium as a cofactor to catalyze the ATP-dependent phosphorylation of Myosin light chain proteins. Additionally, MYLK3 may regulate sarcomere assembly in heart tissue, possibly mediating proper heart function.

Pathways:

Regulation of Muscle Cell Differentiation

Application Details

Application Notes:	WB 1:300-5000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL

Concentration: 1 μg/μL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20 °C for 12 months.

Expiry Date: 12 months