

Datasheet for ABIN1417309

anti-OSTM1 antibody (AA 21-120) (Cy5.5)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μL
Target:	OSTM1
Binding Specificity:	AA 21-120
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OSTM1 antibody is conjugated to Cy5.5
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human OSTM1		
Isotype:	IgG		
Cross-Reactivity:	Human, Mouse, Rat		
Predicted Reactivity:	Pig		
Purification:	Purified by Protein A.		

Target Details

Target:	OSTM1
Alternative Name:	OSTM1 (OSTM1 Products)

Target Details

Background:	Synonyms: GL, GIPN, OPTB5, HSPC019, Osteopetrosis-associated transmembrane protein 1,			
	Chloride channel 7 beta subunit, OSTM1, UNQ6098/PRO21201			
	Background: OSTM1 (osteopetrosis associated transmembrane protein 1), also known as gl			
	(gray-lethal) or HSPC019, is a 338 amino acid single-pass type I membrane protein that is			
	expressed primarily in osteoclasts and melanocytes as well as brain, kidney and spleen. Bone			
	autosomal recessive osteopetrosis (ARO) is the most severe form of hereditary bone disease			
	whose cellular basis is in the osteoclast and is characterized by abnormally dense bone, due to			
	defective resorption of immature bone. ARO is suggested to be caused by mutations in the			
	OSTM1 gene. The disorder occurs in two forms: a severe autosomal recessive form occurring			
	in utero, infancy, or childhood, and a benign autosomal dominant form occurring in			
	adolescence or adulthood. Defects in the OSTM1 gene are also the cause of the spontaneous			
	gl mutant, which is responsible for a coat color defect in mice.			
Gene ID:	28962			
UniProt:	Q86WC4			
Application Details				
Application Notes:	FCM 1:20-100			
	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

	1	l:
-	ココロロ	urnen
	Hand	III IU

Expiry Date:

12 months