

[Go to Product page](#)

Datasheet for ABIN1474610

MAPK10 Protein (AA 1-464) (His tag)

Overview

Quantity:	1 mg
Target:	MAPK10
Protein Characteristics:	AA 1-464
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAPK10 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	MSLHFLYYCS EPTLDVKIAF CQGFDKHVDV SSVVKHYNMS KSKVDNQFYS VEVGDSTFTV LKRYQNLKPI GSGAQGIVCA AYDAVLDRNV AIKKLSRPFQ NQTHAKRAYR ELVLMKCVNH KNIISLLNVF TPQKTLEEFQ DVYLVME LMD ANLCQVIQME LDHERMSYLL YQMLSAIKHL HSAGIIHRDL KPSNIVVKSD CTLKILDFGL ARTAGTSFMM TPYVVTRYR APEVILGMGY KENVDIWSVG CIMGEMVRHK ILFPGRDYID QWNKVIEQLG TPCPEFMKKL QPTVRNYVEN RPKYAGLTFP KLPDLSLFA DSEHNKLKAS QARDLLSKML VIDPAKRISV DDALQHPYIN VWYDPAEVEA PPPQIYDKQL DEREHTIEEW KELIYKEVMN SEEKTKNGVV KGQPSPSGAA VNSSESLPPS SSVNDISSMS TDQTLASDTD SSLEASAGPL GCCR
Specificity:	Rattus norvegicus (Rat)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details

Purity: > 90 %

Target Details

Target: MAPK10

Abstract: [MAPK10 Products](#)

Background: Recommended name: Mitogen-activated protein kinase 10.
Short name= MAP kinase 10.
Short name= MAPK 10.
EC= 2.7.11.24.
Alternative name(s): SAPK-beta Stress-activated protein kinase JNK3 c-Jun N-terminal kinase 3 p54-beta

UniProt: [P49187](#)

Pathways: [MAPK Signaling](#), [WNT Signaling](#), [TLR Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#),
[Activation of Innate immune Response](#), [Hepatitis C](#), [Toll-Like Receptors Cascades](#)

Application Details

Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Concentration: 0.2-2 mg/mL

Buffer: Tris-based buffer, 50 % glycerol

Handling

Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.