antibodies .- online.com





anti-C3orf34 antibody (AA 81-163) (Alexa Fluor 350)



Go to	Pro	duct	nage

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	C3orf34
Binding Specificity:	AA 81-163
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C3orf34 antibody is conjugated to Alexa Fluor 350
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C3Orf34
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	C3orf34
Alternative Name:	C3orf34 (C3orf34 Products)

Target Details

Background:

Synonyms: Chromosome 3 open reading frame 34, HSD5, LOC84984, MGC14126,

CEP19_HUMAN.

Background: C3orf34 (chromosome 3 open reading frame 34), also known as MGC14126, is a

163 amino acid protein encoded by a gene that maps to human chromosome 3q29.

Chromosome 3 is made up of approximately 214 million bases encoding over 1,100 genes.

Notably, there is a chemokine receptor gene cluster and a variety of human cancer related loci

on chromosome 3. Particular regions of the chromosome 3 short arm are deleted in many

types of cancer cells. Key tumor suppressing genes on chromosome 3 encode apoptosis

mediator RASSF1, cell migration regulator HYAL1 and angiogenesis suppressor SEMA3B.

Marfan Syndrome, porphyria, von Hippel-Lindau syndrome, osteogenesis imperfecta and

Charcot-Marie-Tooth disease are a few of the numerous genetic diseases associated with

chromosome 3.

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Forma	ιt	•
FOITIE	ıι	

Liquid

Concentration:

 $1 \mu g/\mu L$

Buffer:

Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

50 % Glycerol.

Preservative:

ProClin

Precaution of Use:

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2$

handled by trained staff only.

Storage:

-20 °C

Storage Comment:

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date:

12 months