



[Go to Product page](#)

Datasheet for ABIN1693617

anti-Inversin antibody (AA 31-130) (AbBy Fluor® 350)

Overview

Quantity:	100 µL
Target:	Inversin (INVS)
Binding Specificity:	AA 31-130
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Inversin antibody is conjugated to AbBy Fluor® 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Inversin
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Cow,Sheep,Chimpanzee
Purification:	Purified by Protein A.

Target Details

Target:	Inversin (INVS)
Alternative Name:	Inversin (INVS Products)

Target Details

Background: Synonyms: INV, Inversion of embryo turning homolog, inversion of embryonic turning, INVS, Nephrocystin 2, Nephrocystin-2, Nephrocystin2, nephronophthisis 2 infantile, NPH2, NPHP2, INVS_HUMAN.

Background: Nephrocystin-2 is a 1,065 amino acid protein that exists as three alternatively spliced isoforms and is essential for establishment of the left-right axis and normal renal development. Localizing to the cytoplasm, cytoskeleton, membrane and nucleus, nephrocystin-2 is expressed during presomite-stage embryos and persists in adulthood, with high levels of expression in liver and kidney. Mice expressing nephrocystin-2 mutations are primarily generated by random insertional mutagenesis and result in the reversal of left/right polarity and cyst formation in the kidneys. Furthermore, altered nephrocystin-2 function reverses nodal and lefty expression, indicating that nephrocystin-2 signaling occurs upstream of these proteins involved in the development of asymmetry.

Gene ID: 27130

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months