antibodies -online.com







anti-DAPL1 antibody (AA 1-100) (Alexa Fluor 488)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	DAPL1
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAPL1 antibody is conjugated to Alexa Fluor 488
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DAPL1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Horse
Purification:	Purified by Protein A.

Target Details

Target:	DAPL1
Alternative Name:	DAPL1 (DAPL1 Products)
Background:	Synonyms: dapL1, DAPL1_HUMAN, death associated protein-like 1, Death-associated protein-

like 1, Early epithelial dferentiation-associated protein, EEDA, RP23-151F21.4.		
Background: In contrast to growth factors which promote cell proliferation, FAS ligand (FAS-L)		
and the tumor necrosis factors (TNFs) rapidly induce apoptosis. Cellular response to FAS-L and		
TNF is mediated by structurally related receptors containing a conserved cytoplasmic region		
called the death domain?. DAPL1 (Death-associated protein-like 1), also known as EEDA (Early		
epithelial differentiation-associated protein), is a 107 amino acid protein that is expressed in		
hair follicles and is thought to function in a similar manner to DAP-1, possibly participating in		
the early stages of epithelial differentiation and/or apoptosis.		
92196		
IE/IHC D) 1-50 200		
IF(IHC-P) 1:50-200		
IF(IHC-F) 1:50-200		

Application Details

Gene ID:

Application betails		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	