antibodies.com

# Datasheet for ABIN1696915 anti-BTBD14A antibody (AA 401-500) (Alexa Fluor 555)



Overview

Quantity:	100 µL
Target:	BTBD14A
Binding Specificity:	AA 401-500
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BTBD14A antibody is conjugated to Alexa Fluor 555
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human BTBD14A
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.

#### Target Details

Target:	BTBD14A
Alternative Name:	BTBD14A (BTBD14A Products)
Background:	Synonyms: BTB POZ domain containing 14A, BTB domain containing 14A, BTB/POZ domain

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1696915 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	containing protein 14A, BTB/POZ domain-containing protein 14A, BTBD 14A, BTBD14, NAC-2,
	NACC2, NACC2_HUMAN, Nucleus accumbens-associated protein 2.
	Background: BTBD14A is a 587 amino acid protein that contains one BTB/POZ domain. The
	BTB/POZ domain mediates homomeric and heteromeric POZ-POZ interactions and is common
	to transcriptional regulators involved in chromatin modeling. In several BTB/POZ containing
	proteins, including BCL-6 and the promyelocytic leukemia zinc-finger (PLZF) oncoprotein, this
	domain interacts with the SMRT/N-CoR-mSin3A HDAC complex and is directly involved in
	repressing and silencing gene transcription. When this domain is deleted, as with the oncogenic
	PLZF-RAR chimera of promyelocytic leukemias, this transcriptional repression is attenuated.
	This suggests that BTBD14A may play a role in transcription regulation.
Gene ID:	54813

Pathways:

Positive Regulation of Response to DNA Damage Stimulus

## Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1696915 | 03/07/2024 | Copyright antibodies-online. All rights reserved.