antibodies -online.com





anti-FLVCR antibody (AA 451-550) (Alexa Fluor 555)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	FLVCR (FLVCR1)
Binding Specificity:	AA 451-550
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FLVCR antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FLVCR
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	FLVCR (FLVCR1)
Alternative Name:	FLVCR (FLVCR1 Products)

Target Details

Background:	Synonyms: Feline leukemia virus subgroup C cellular receptor, Feline leukemia virus subgroup C	
	receptor, Feline leukemia virus subgroup C receptor related protein 1, Feline leukemia virus	
	subgroup C receptor-related protein 1, FLVC1_HUMAN, FLVCR 1, FLVCR protein, FLVCR1,	
	hFLVCR.	
	Background: FLVCR is responsible for the exportation of cytoplasmic heme groups. It is	
	believed that it may protect developing erythroid cells from heme toxicity. Expression of FLVCR	
	in cells will cause susceptibility to FeLV-C (Feline leukemia virus subgroup C) in vitro. FLVCR is	
	found in all hematopoietic tissues, including peripheral blood lymphocytes and fetal liver, and	
	some expression is found in pancreas and kidney. It is down-regulated in haemopoietic	
	progenitor cells undergoing differentiation and hemoglobinization.	
Gene ID:	28982	
Pathways:	Transition Metal Ion Homeostasis	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	