antibodies.com

## Datasheet for ABIN1698610 anti-UCMA antibody (AA 21-120) (Alexa Fluor 647)



Overview

Quantity:	100 μL
Target:	UCMA
Binding Specificity:	AA 21-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UCMA antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB)

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human UCMA
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat
Purification:	Purified by Protein A.

## Target Details

Target:	UCMA
Alternative Name:	UCMA (UCMA Products)
Background:	Synonyms: C10orf49, Gla rich protein, Gla-rich protein, Grp, GRP, OTTMUSP00000011599,
	RP23-272I15.1, UCMA, Ucma-C, UCMA_HUMAN, Unique cartilage matrix associated protein,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1698610 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	Unique cartilage matrix-associated protein C-terminal fragment, Upper zone of growth plate
	and cartilage matrix associated.
	Background: UCMA is a 138 amino acid secreted protein that is highly expressed in resting
	chrondrocytes in developing long bones and is thought to function in the early phase of
	chrondrocyte differentiation. A furin-like protease processes UCMA into an N-terminal 37 amino
	acid peptide and a C-terminal 74 amino acid peptide, which is referred to as Unique cartilage
	matrix-associated protein C-terminal fragment (Ucma-C). Introduction of recombinant Ucma-C
	interferes with osteogenic differentiation of mesenchymal stem cells, MC3T3-E1
	preosteoblasts and primary osteoblasts. This suggests that Ucma may be involved in the
	negative regulation of osteogenic differentiation of osteochondrogenic precursor cells at the
	cartilage-bone interface and in peripheral zones of fetal cartilage.
Gene ID:	221044
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1698610 | 03/07/2024 | Copyright antibodies-online. All rights reserved.