# antibodies -online.com





Datasheet for ABIN1699174

## anti-BAMBI antibody (AA 101-200) (Alexa Fluor 647)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	BAMBI
Binding Specificity:	AA 101-200
Reactivity:	Human, Rat, Mouse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAMBI antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human BAMBI
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Pig, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

#### **Target Details**

Target:	BAMBI
Alternative Name:	BAMBI (BAMBI Products)

### **Target Details**

Background:	Synonyms: NMA, BMP and activin membrane-bound inhibitor homolog, Non-metastatic gene A	
	protein, Putative transmembrane protein NMA, BAMBI	
	Background: BAMBI is a membrane spanning glycoprotein that acts as a negative regulator of	
	TGF-beta signaling during development. The BAMBI family of proteins are related to type I TGF-	
	beta receptor family, however, BAMBI is a pseudoreceptor that lacks an intracellular	
	serine/threonine kinase domain. BAMBI transcription regulation is under the influence of beta-	
	catenin, BMP, smad3 and smad4. BAMBI expression can increase in colorectal and	
	hepatocellular carcinomas relative to non-cancerous tissues. BAMBI is expressed at high levels	
	during odontogenesis. BAMBI is coexpressed with Bmp-4 during early Xenopus embryogenesis	
	and can be detected in poorly metastatic human melanoma cell lines.	
Gene ID:	25805	
UniProt:	Q13145	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	