antibodies -online.com





anti-ABLIM3 antibody (AA 101-200) (Cy7)



()	1 /	\sim	rv	11/	11	Α
	1//	⊢	I \/	16	٦,	/\

Quantity:	100 μL	
Target:	ABLIM3	
Binding Specificity:	AA 101-200	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ABLIM3 antibody is conjugated to Cy7	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ABLIM3	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	ABLIM3	
Alternative Name:	ABLIM3 (ABLIM3 Products)	

Target Details

Expiry Date:

3	
Background:	Synonyms: abLIM-3, Ablim3, ABLM3_HUMAN, Actin binding LIM protein 3, Actin binding LIM
	protein family member 3, Actin-binding LIM protein 3, Actin-binding LIM protein family member
	3, HMFN1661, KIAA0843.
	Background: The ABLIM1 protein has an N-terminal domain that contains four double zinc
	finger motifs, which conform to the LIM motif consensus sequence. ABLIM1 binds to F-Actin
	through a dematin-like domain and is expressed in retina, brain and muscle tissue. There are
	four known isoforms of ABLIM1. The gene encoding ABLIM1 maps to a region of chromosome
	10 associated with frequent loss of heterozygosity in human tumors, thus identifying ABLIM1
	as a candidate tumor suppressor gene. ABLIM2 and ABLIM3 show highest expression in
	muscle and neuronal tissues, bind to F-Actin, and are localized on stress fibers. They also have
	been shown to enhance STARS (striated muscle activator of Rho signaling) dependent
	activation of serum-response factor (SRF), thereby modulating transcription.
Gene ID:	22885
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

12 months