.-online.com antibodies

## Datasheet for ABIN1709398 anti-AFAP1L2 antibody (FITC)



Overview	
Quantity:	100 µL
Target:	AFAP1L2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AFAP1L2 antibody is conjugated to FITC
Application:	Western Blotting (WB)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human AFAP1L2
Isotype:	lgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat
Purification:	Purified by Protein A.

Target:	AFAP1L2
Alternative Name:	Afap1I2 (AFAP1L2 Products)
Background:	Synonyms: KIAA1914, XB130, Actin filament-associated protein 1-like 2, AF1L2_HUMAN,
	AFAP1-like protein 2, afap1l2.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1709398 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Background: Actin filament associated protein (AFAP-110) interacts directly with actin
filaments through its C-terminal actin-binding domain. AFAP-110 contains additional protein-
binding domains as well, and serves as an adaptor protein. By linking signaling molecules to
actin filaments, AFAP-110 provides a platform for the preparation of larger signaling
complexes, activates Src kinases in response to cellular signals and also directly affects Actin
organization as an Actin filament cross-linking protein. AFAP-1L2 (Actin filament-associated
protein 1-like 2), also known as XB130, is a 818 amino acid cytoplasmic protein that contains
two Pleckstrin homology (PH) domains, which are normally found in proteins involved in
intracellular signaling. Like its relative AFAP110, AFAP-1L2 interacts with Src kinase and may
play a role in Src-regulated transcription activation. AFAP-1L2 is expressed in thyroid and
spleen and can also be detected at lower levels in lung, brain, pancreas and kidney. There are
four isoforms of AFAP-1L2 that are produced as a result of alternative splicing events.

Pathways:

Storage:

Expiry Date:

Storage Comment:

EGFR Signaling Pathway

## Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which

should be handled by trained staff only.

-20 °C

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1709398 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.