antibodies -online.com





anti-GEMIN6 antibody (AA 21-120) (FITC)



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | GEMIN6 |
| Binding Specificity: | AA 21-120 |
| Reactivity: | Human, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GEMIN6 antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Gemin 6 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Rat |
| Predicted Reactivity: | Mouse,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | GEMIN6 |
|-------------------|---------------------------|
| Alternative Name: | Gemin 6 (GEMIN6 Products) |

Target Details

| Background: | Synonyms: FLJ23459, Gemin6, Gemin-6, Gem nuclear organelle associated protein 6, Gem- |
|---------------------|---|
| | associated protein 6, GEMI6, GEMI6_HUMAN, Gemin-6, GEMIN6, SIP2. |
| | Background: Spinal muscular atrophy (SMA) is an autosomal recessive neurodegenerative |
| | disease characterized by loss of motor neurons in the spinal cord. SMA is caused by deletion or |
| | loss-of-function mutations in the SMN (Survival of Motor Neuron) gene. Gemin6, the protein |
| | product of human chromosome 2p22.2, associates directly with SMN and is a part of the SMN |
| | complex containing Gemin2, Gemin3, Gemin4 and Gemin5 as well as several spliceosomal |
| | snRNP proteins. The SMN complex plays an essential role in spliceosomal snRNP assembly in |
| | the cytoplasm and is required for pre-mRNA splicing of the nucleus. The SMN complex is found |
| | in both the cytoplasm and the nucleus. The nuclear form is concentrated in subnuclear bodies |
| | called gems (Gemini of the coiled bodies). |
| Gene ID: | 79833 |
| Pathways: | Ribonucleoprotein Complex Subunit Organization |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |
| | |