

Datasheet for ABIN2660538
anti-F4/80 antibody (APC-Cy7)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	F4/80 (EMR1)
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This F4/80 antibody is conjugated to APC-Cy7
Application:	Flow Cytometry (FACS)

Product Details

Clone:	BM8
Isotype:	IgG2a kappa
Purification:	The antibody was purified by affinity chromatography, and conjugated with APC/Cy7 under optimal conditions. The solution is free of unconjugated APC/Cy and unconjugated antibody.

Target Details

Target:	F4/80 (EMR1)
Alternative Name:	F4/80 (EMR1 Products)
Background:	F4/80 is a 160 kD glycoprotein. It is characterized as a member of the epidermal growth factor (EGF)-transmembrane 7 (TM7) family. F4/80, also known as EMR1 or Ly71, has been widely used as a murine macrophage marker, which is expressed on the majority of tissue macrophages including peritoneal macrophages, macrophages in lung, gut, thymus and red

Target Details

pulp of spleen (but not on the macrophages located in T cell areas of the spleen, lymph node and Peyer's patch), Kuffer cells, Langerhans cells, and bone marrow stromal cells. F4/80 has also been shown on a subset of dendritic cells. The biological ligand of F4/80 has not been identified, but it has been reported that F4/80 is required for induction of CD8+ T cells-mediated peripheral tolerance.


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Concentration:	0.2 mg/mL
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.